



## Preventive Care/Immunization Schedule

Birth	Hepatitis B
1-2 weeks	2nd Newborn Screening
1 month	None
2 months	Vaxelis (DTaP-IPV-Hib-Hep B), PCV13, Rotavirus
4 months	Vaxelis (DTaP-IPV-Hib-Hep B), PCV13, Rotavirus
6 months	Vaxelis (DTaP-IPV-Hib-Hep B), PCV13, Rotavirus, Influenza (Flu)
9 months	None
12 months	MMR, Varicella, Hepatitis A
15 months	Pentacel (DTaP/Polio/Hib), PCV13
18 months	None
24 months	Hepatitis A
30 months	None
3 years	None
4 years	Quadracel (DTaP-Polio), ProQuad (MMR-Varicella)
5 years	None
6 years	None
7 years	None
8 years	None
9 years	None
10 years	None
11 years	HPV, Tdap, MenACWY
12 years	HPV
13 years	None
14 years	None
15 years	None
16 years	MenACWY, MenB
17 years	MenB
18 years	None

### ***Vaccine Index:***

- **Varicella:** (Chickenpox) 1<sup>st</sup> dose given individually; 2<sup>nd</sup> dose given as a combo vaccine with MMR (MMR/Chickenpox)
- **DTaP/Polio:** Diphtheria, Tetanus, Pertussis, Poliomyelitis
- **DTaP-Polio-Hib-Hep B:** Diphtheria, Tetanus, Pertussis, Poliomyelitis, Hepatitis B, Haemophilus Influenzae type b; series of 3-4
- **Hepatitis A:** series of 2
- **Hepatitis B:** series of 3
- **HPV:** Human Papillomavirus; series of 2 (if given before age 15)
- **MenACWY:** Meningococcal meningitis, types A, C, W, and Y; series of 2
- **MenB:** Meningococcal meningitis, type B; series of 2
- **MMR:** Measles, Mumps, Rubella (1<sup>st</sup> dose given individually, 2<sup>nd</sup> dose given as a combo vaccine with Chickenpox)
- **MMR/Chickenpox:** Measles, Mumps, Rubella, Chickenpox (given for the 2<sup>nd</sup> doses for both MMR & Chickenpox)
- **PCV13:** pneumococcal conjugate; series of 4
- **Rotavirus:** series of 3
- **Tdap:** Tetanus, Diphtheria, Pertussis (for children 7 or older)